



Toll Free: 1-866-566-7233 www.technicalsafetybc.ca

PRESSURE VESSEL ENGINEERING B-120 RANDALL DRIVE WATERLOO ON N2V 1C6

CANADA

Date: December 23, 2019

Account #: 45363 Journal #: 74665 Our File #: 5635704

Attn: CATHERINE DIPLOCK

Re: Application for Design Registration

The design, as detailed in your, PVE-14555, for a Fitting is accepted for registration as follows:

Registered To: OLEODINAMICA TOSCANA S.R.L. CRN: 0D7003.1

Drawing #: D12 Document Drawing Revision: 11

Conditions of Registration:

1) Fitting Registration Expiry Date: Dec. 23, 2029

2) The registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of quality management system lapse before the expiry date indicated above, this registration shall become void.

Contact me if you have any questions. The invoice for the registration will be forwarded under separate cover.

TOM NG, P.ENG.

Tom.Ng@technicalsafetybc.ca Design Engineer

CC:

(PROD) 30400-20 GST #: 87391 2802 RT0001



9410 - 20 Ave N.W. Edmonton, Alberta, Canada T6N 0A4 Tel: (780) 437-9100 / Fax: (780) 437-7787

January 22, 2020

Attention: Catherine Diplock

PRESSURE VESSEL ENGINEERING INC

120 RANDALL DRIVE SUITE B WATERLOO, ON N2V 1C6

The design submission, tracking number 2020-00095, originally received on January 08, 2020 was surveyed and accepted for registration as follows:

CRN: 0D07003.12 **Accepted on:** January 22, 2020

Reg Type: NEW DESIGN **Expiry Date:** December 23, 2029

Drawing No.: PVE-14555 Rev 0 **Fitting type:** FLEXIBLE HOSES

Design registered in the name of : OLEODINAMICA TOSCANA SRL

The registration is conditional on your compliance with the following notes:

- The flanges SAE J518 are not in the scope of this registration.

As indicated on AB-41 Statutory Declaration form and submitted documentation, the code of construction is ASME B31.3.

- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3382 or fax (780) 437-7787 or e-mail Stojanovic@absa.ca.

Sincerely,

STOJANOVIC, STEVAN, P. Eng.

DOP Cert. No. D00008849

2020-00095 Page 1 of 1



1/23/2020

Pressure Vessel Engineering Ltd. 120 Randall Drive, Suite B Waterloo ON, N2V 1C6

Dear Catherine Diplock

Re: Reciprocal CRN Registration in Manitoba

Your application indicates that a CRN has been received in another Canadian Jurisdiction, and therefore your CRN has been registered in Manitoba as follows:

File Number: 74-R390 CRN: 0D7003.14

Scope: D12 Document REV 11 Manufacturer: Oleodinamica Toscana S.r.l.

Expiry Date: 23/Dec/29

Please find attached invoice for registration.

As indicated by the Regulatory Reconciliation and Cooperation Table and the Reconciliation Agreement for the Canadian Registration Number (CRN) for Pressure Equipment, a CRN issued in any Canadian Jurisdiction will be accepted for use in Manitoba.

In accordance with Steam and Pressure Plants Regulation and CSA B51, it is the manufacturer's responsibility to file a Manufacturers Data Report, including partial data reports, with our office, prior to shipping pressure equipment to Manitoba.

Please contact me directly via email at Cheryl.Lashek@gov.mb.ca for any questions or concerns.

Cheryl Lashek, P.Eng Director, ITSM

Inspection and Technical Services
Office of the Fire Commissioner
508 - 401 York Avenue, Winnipeg Manitoba R3C 0P8 **T** (204) 945-3507 | **F** (204) 948-2309

		NCE EDWARD ISLAND RTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR		
~	MANUFACTURERS NAME: Oleodinamica Toscana S.r.J.				
	MANUFACTURERS ADDRESS: Via Redolone, 53 - 51030 Serravalle Pistolese (PT) - Italy				
	PLANT LOCATIONS: Via Redolone, 53 - 51030 Serravalle Pistoiese (
	CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE	TITLE OF THE STANDARD OF CONSTRUCTION			
8	A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pig B Flanges; all flanges	pe caps, or reducers			
00	C Valves: all line valves		ASME B31.3 2018 Edition		
00	D Expansion joints, flexible connections, and hose assemblies: all type E Strainers, filters, separators, and steam traps	es	Serie Edition		
ŏ	F Measuring devices, including pressure gauges, level gauges, sight of	lasses levels or	1		
0	pressure transmitters		1		
	G Certified capacity-rated pressure relief devices acceptable as primar boilers, pressure vessels, piping and fusible plugs	31 - 전 - H	1		
9	H Pressure retaining components that do not fall into one of the above	categories	l l		
ગ	N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting C	CNSC or ASME requirements)			
f	SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT W	ILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION		
- 1	Oleo dinamica		FORGED WELDED WROUGHT C		
- 1	Tecena		DESCRIBE OTHER		
-	Self., Trail Results o compensated	1	1		
	LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF	THE ACTUAL ITEMS TO BE DEC	ISVESSE I		
	Metal Flexible Hoses	THE THE TO BE REG	ISTERED:		
s	Scope Document: 14555s-1		1 /		
			. / /		
1					
1	*		A/		
			1 VX		
DE	ECLARATION:		1		
13	Schlavetti Maroo (see note 3) employed by Oleodina	mics Toscens S.r.I. and being	the person having tell authority and		
res	sponsibility for the quality of the end product do solemnly declare knowledge represents the product for which registration is sound	that the information contained in	n this form is true and to the best of		
tem	operature ratings and identification modifies	in the differisions, materials of	i construction, preseure		
ma	nufacture of these fittings is regulated by a Quality Control Progr n part and has been verified by DNV-GL	iaili wilicii exterios to each biant	Where fabrication		
dec	n part and has been verified by <u>DNV-GL</u> claration conscientiously believing it to be true, and knowing that	as being suitable for that p	Durpose and I make this solemn		
		it is of the same force and effect	t as if made under oath.		
Sig	nature of Declarer: X Summer X				
Dec	clared before me at	USETHISS	PASES		
This	17 day of October AD 2019		LAL SEAT		
Соп	nmissioner of Oaths		17.1. 3.1.3.1		
r N	lotary Public: (sign)				
	This space for Regul	HI NO THE REAL PROPERTY OF THE PARTY OF THE	INAVIT		
	This registration must be revalidated after to	en (40) years from the date of ac	Sentance		
CD	N: 0D7003.1	E	, ,		
		Nunavut Press	ure Vessels Act		
FID	m: 15889	REGISTE	EDED		
	William St.				
Note		CRN OD 7003.1	2		
2. 6	All fittings shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration	Date Jan 20, 2	0.50		
orm	is and one copy of supporting documentation.		7		
esp	he declaration shall be made by the person having full authority and consibility for the quality of the end product.	Signed	X		
. Q	Quality control programs shall be resubmitted for validation	Chief Insp	ector		
a	maximum interval of five (5) years. N BYPIRS DEC.23, 2029 - D.G.	-	Sect. 1.0 - Fittings Rev. 1 06/2003		
V.	TO THE STREET OF THE STREET	Territorial Regie	/		

	NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR			
	MANUFACTURERS NAME: 0	MANUFACTURERS NAME: Oleodinamica Toscana S.r.i.					
	MANUFACTURERS ADDRES	S: Via Redolone, 53 - 510	30 Serravalle Pistolese (PT) - Italy				
PLANT LOCATIONS: Via Redolone, 53 - 51030 Serravalle Pistolese (PT) - Italy							
	CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY						
0	A Pipe fittings, including coupl B Flanges: all flanges	ings, tees, elbows, Ys. plu	gs, unions, pipe caps, or reducers				
00	C Valves: all line valves			ASME B31.3 2018 Edition			
0			nblies: all types				
00	E Strainers, filters, separators, F Measuring devices, including	and steam traps pressure gauges, level of	suges, sight glasses, levels or				
	pressure transmitters			1			
0	G Certified capacity-rated press bollers, pressure vessels, pig		able as primary over pressure protection on	1			
0	H Pressure retaining componer	nts that do not fall into one					
0			☐, (Meeting CNSC or ASME requirements)				
Ī	SHOW MANUFACTURERS NAI	ME, TRADEMARK, OR LO	GO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION			
-	@	loodhaml	han.	FORGED WELDED WROUGHT CAST OTHER			
-				DESCRIBE OTHER:			
		The Mark Mark Market	PRESENT				
Ļ		A This Reside e compe					
- 1		MENTATION AND IDENTI	FICATION OF THE ACTUAL ITEMS TO BE RE	GISTERED;			
1	Metal Flexible Hoses			1 /			
1	Scope Document: 14555a-1			1 2 / 1			
1				1 1 1			
1				المعرفة المساهدة			
1				1			
1				[XV.7] 3			
L							
ם	ECLARATION:						
1	Bohlavetti Maroo	(see note 3) employed	by Olaodinamica Toscana S.r.i. and bein	I the person having sell authority and			
re	sponsibility for the quality of the	ne ena product do sole	mnly decising that the information contained	in this form in the same of the state of the			
m	v knowiedde rebresents the b	noduct for which registr	ation is sought. The dimensions, materials accordance with the herein named standard	of construction I/			
ma	anufacture of these fittings is	regulated by a Quality (Control Program which extends to each plan	os. I further deciare that the			
OF	in part and has been ventred	DV DNV-GL	as being sultable for that	Dimose and I make this act			
de	claration conscientiously believed	eving it to be true, and i	knowing that it is of the same force and effe	ct as if made under oath.			
Sir	gnature of Declarer: X	W	R				
20		CALLERY.					
27/27	clared before me at.		USETHIS				
Thi	is17 day of0	ctober AD	2019 OFFI	CIAL SEAL			
	mmissioner of Oaths						
Or 1	r Notary Public: (sign)						
	This space for Regulatory Authority use						
	This registration must be revalidated after ten (10) years from the date of acceptable.						
C	RN: 0D7003.1		/ North	west /65 00			
	//		- 1	\ \			
FI	D#: 15889			SISTERED			
	UNDER THE AUTHOR TY OF						
	oles:	Difference of the constraint o	l VE	APD FILESSURE			
	All fittings shall be registered in t Each category shall be supported		uioi.	SSELACT.			
	ms and one copy of supporting d		\ \	7003.17			
3.	The declaration shall be made by	y the person having full at		2201			
	sponsibility for the quality of the ex Quality control programs shall be		DATE I	- 22/2020/			
at :	a maximum interval of five (5) yes	ars.		Sect. 1.0 - Fittings Rev. 1 06/2003			
2	IN EXPIBES DEC. 23,2	b29-0,6.					

	NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON		IARD ISLAND T TERRITORIES	NEWFOUNDLAND AND LABRADOR	
~.	MANUFACTURERS NAME: Oieodinamica Toscana S.r.I.					
	MANUFACTURERS ADDRESS:	MANUFACTURERS ADDRESS: Via Redolone, 53 - 51030 Serravalle Pistolese (PT) - Italy				
	PLANT LOCATIONS: Via Redolo	PLANT LOCATIONS: Via Redolone, 53 - 51030 Serravalle Pistolese (PT) - Italy				
	CATEGORY OF FITTI	NGS TO BE REGISTERE	D. CIRCLE ONE CA	TEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION	
0	A Pipe fittings, including coupling B Flanges: all flanges	gs, tees, elbows, Ys, plug	s, unions, pipe caps,	or reducers		
00	C Valves: all line valves				ASME B31.3 2018 Edition	
00	D Expansion joints, flexible conn E Strainers, filters, separators, as		olies: all types			
ŏ	F Measuring devices, including p		iges, sight glasses, le	evels, or		
0	pressure transmitters G Certified capacity-rated pressu	re relief devices accentat	ole as primary over pr	essure protection on		
	boilers, pressure vessels, pipir	ng and fusible plugs		•		
0	 H Pressure retaining components N Nuclear components: Class 1 					
-	SHOW MANUFACTURERS NAME				TYPE OF CONSTRUCTION	
	AND MANUEL OF THE PARTY OF THE	leed of the complete	OO	LAK ON THE PRODUCT	FORGED WELDED WROUGHT CAST OTHER	
	90		920		DESCRIBE OTHER:	
		10000	80	,		
	_	Tubi Resultiff e comper				
	LIST OF SUPPORTING DOCUME	ENTATION AND IDENTIF	ICATION OF THE A	CTUAL ITEMS TO BE RE	GISTERED:	
	Metal Flexible Hoses				1 /	
	Scope Document: 14555s-1				V /	
-						
	DECLARATION: Schlavetti Merco	(see note 3) employed	by Olandinamica Tr	acans S.r.I. and bei	ng the person having the authority and	
re	esponsibility for the quality of th	e end product do soler	nnly declare that the	ne information containe	d in this form is true and to the best of	
m	ny knowledge represents the pre emperature ratings, and identific	oduct for which registra	ation is sought. Th	e dimensions, material	s of construction prediction	
m	anufacture of these fittings is re	egulated by a Quality (Control Program wi	ich extends to each pl	ant where fabrication occurs in whole	
manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by <u>DNV-GL</u> as being suitable for that purpose and I make this solemn						
d	declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.					
S	Signature of Declarer: X Samuel &					
	eclared before me at.			USETHIS	SPACE FO	
		tober AD	2019		CIAL SEAL	
	ommissioner of Oaths					
	Notary Public: (sign)					
Г	This space for Regulatory Authority use					
	This registration must be revalidated after ten (10) years from the date of acceptance.					
١.	CRN: 0D7003.1			/an		
1				14/		
FID#: 15889						
						100
1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration					0D7003.1Y	
fe	orms and one copy of supporting do. The declaration shall be made by	ocumentation.		-	1 1	
	esponsibility for the quality of the en		amonty and	\ \ DATE	01/20/2020 / /	
	. Quality control programs shall be		n	/ LDATE	/	
Č	t a maximum interval of five (5) year RN EXPIRES DEC.23, 2	D29-D.G.		12/	Sect. 1.0 - Fittings Rev. 1 08/2003	

A Pipe fittings, including couplings, teets, elibows, Ys, plugs, unlors, pipe caps, or reducers B Fianges: all fine valves C Valves: all fine valves Expansion joints, flecible connections, and hose assemblies: all types E strainers, fifters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters C derified capacity-reised pressure trailed devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs F Pressure feating components that do not fall into one of the above categories N Nuclear components: Class 1 □ class 2 □ class 3 □, (Meeting CNSC or ASME requirements) SHOW MANUFACTURERS NAME, FRADEMANK, OR LOGO S IT WILL APPEAR ON THE PRODUCT FORT THE RESIDENCE WALLED JET THE RESIDENCE WALLED OBSCRIBE OTHER NAME FRADEMANK, OR LOGO S IT WILL APPEAR ON THE PRODUCT FORT WALLED OBSCRIBE OTHER NAME FRADEMANK, OR LOGO S IT WILL APPEAR ON THE PRODUCT FORT WALLED OBSCRIBE OTHER OBSCRIBE OTHER OBSCRIBE OTHER NAME B31.3 2018 Edition ASME B31.3 2018 Edition The pressure retainers. In the capture of pressure protection on both the pressure retainers. In the pressure retainers.	NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR		
ECLARATION: Scheduling Couldings, trees, obows, Y, plugs, unions, pipe case, or reducers or pressure retaining completings, trees, obows, Y, plugs, unions, pipe case, or reducers or valves: all five valves. A Pipe fillings, including couldings, trees, obows, Y, plugs, unions, pipe case, or reducers or valves: all five valves. C Valves: all five valves. E Strainers, Elerar, separation, and steam traps. Howevering occurred, mounting pressure requires, sight glasses, levels, or pressure framework. P Pressure retaining components that do not fall into one of the above categories. H Pressure retaining components that do not fall into one of the above categories. H Pressure retaining components and that the plugs. H Pressure retaining components and that the plugs of the pressure retaining components and the pressu	MANUFACTURERS NAME:	Olsodinamica Toscana S.r.I.				
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE DHE CATEGORY ONLY A Pips fillings, including possipings, tests, ablows, Ys, plugs, unions, ppe caps, or reducers B Fianges all flanges C Valvies: all live valves D Expansion joints, flecible connections, and hose assemblies: all types Strainers, flats, separation, and steam traps F Moseuring devices, mounting pressure gauges, sight glasses, levels, or pressure transing components relief devices acceptable as primary over pressure protection on boilers, pressure valves, piping and harbles plugs P Pressure relating components that do not fall into one of the above categories N Nuclear components: Class 1 © Class 2 © Class 3 © (Meeting CNSC or ASME requirements) SHOW MANUFACTURERS NAME. TRADEMARY, OR LOGO AS TWILL APPEAR ON THE PRODUCT **CONCED_WILLSE 1 © Class 2 © Class 3 © Class 3 WILL APPEAR ON THE PRODUCT **CONCED_WILLSE 1 © Class 2 © Class 3 © Class 3 WILL APPEAR ON THE PRODUCT **CONCED_WILLSE 1 © Class 2 © Class 3 © Class 3 WILL APPEAR ON THE PRODUCT **CONCED_WILLSE 1 © Class 2 © Class 3 © Class 3 WILL APPEAR ON THE PRODUCT **CONCED_WILLSE 1 © Class 2 © Class 3 © Class 3 WILL APPEAR ON THE PRODUCT **CONCED_WILLSE 1 © Class 2 © Class 3 © Class 3 WILL APPEAR ON THE PRODUCT **CONCED_WILLSE 1 © Class 2 © Class 3 © Class 3 WILL APPEAR ON THE PRODUCT **CONCED_WILLSE 1 © Class 2 © Class 3 © Class 3 WILL APPEAR ON THE PRODUCT **CONCED_WILLSE 1 © Class 2 © Class 3 © Class 3 WILL APPEAR ON THE PRODUCT **CONCED_WILLSE 1 © Class 2 © Class 3 © Class 3 WILL APPEAR ON THE PRODUCT **CONCED_WILLSE 2 © Class 3 © Class	MANUFACTURERS ADDRE	ESS: Via Redolone, 53 - 51030	Serravalle Pistolese (PT) - Italy			
A Pipe filings including couplings, tees, elbows, Ys, plugs, unlors, pipe caps, or reducers B Flanges all fine values C Valves: all fine values E Strainers, filents, separation, and atoam traps E Strainers, filents, separation, and atoam traps E Strainers, filents, separation, and atoam traps C valves: all fine values E Strainers, filents, separation, and atoam traps C valves and fine values C valves and fine values E Strainers, filents, separation, and atoam traps C valves and valves A SME 831.3.2018 Edition A SME 831.3.2018 Edi		PLANT LOCATIONS: Via Redolone, 53 - 51030 Serravalle Pistolese (PT) - Italy				
ASME B31.3 2018 Edition ASME B31.3 2018 Edition on Edition on Edition on Edition ASME B31.3 2018 Edition ASME B31.3 2018 Edition on Edition on Edition on Edition on Edition on Edition ASME B31.3 2018 Edition on Edit	CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY TITLE OF THE STANDARD OF CON		TITLE OF THE STANDARD OF CONSTRUCTION			
C Valves: all ine valves Expansion joints, fiscible connections, and hose assembles: all types E strainers, fisters, separation, and steam trage E strainers, fisters, separation, and steam trage Following pressure transmitters Contribe capacity protects, multing response gauges, level gauges, sight glasses, levels, or pressure transmitters Contribe capacity protects, publing pressure tested feerons acceptable as primary over pressure protection on Contribe capacity protects, publing and habite busing H Pressure retaining components that do not fall into one of the above categories Nuclibrar components: Class 1 Class 2 Class 3 Class 4 Class 3 Class 4 Class 3 Class 4 Class 3 Class 5 Class 5						
E. Strainers, filters, separators, and stant traps F. Meacuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters. Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and table plugs. N. Nuclear components: Class 1.D. Class 3.D. Class 3.D. (Meeting CNSC or ASME requirements). SHOW.MANUFACTURERS NAME. FRADEMARK. OR LOGO AS IT WILL APPEAR ON THE PRODUCT SHOW MANUFACTURERS NAME. FRADEMARK. OR LOGO AS IT WILL APPEAR ON THE PRODUCT ONCE OF MANUE ACTURERS AND FRADEMARK. OR LOGO AS IT WILL APPEAR ON THE PRODUCT WILL STORE SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Metal Flexible Hoses Scope Document: 1455%-1 ECLARATION: Schlevetti Marno sponsibility for the quality of the end product do solemnly declare that the information contained in this form is the air to the basis of manufacture of these titings is regulated by a Quality Control Program which extends in an extraording in this form is the air to the basis of manufacture of these titings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole an information conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. Schlered Declarer: Inclared Declarer: Inclared Declarer: Colared Declarer: Colared Declarer: Colared Declarer: Colared Declarer: This registration must be revalidated after ten (10) years from the date of acceptance, New Journal of the Stanton of the Manufacturer. Each category shall be explored with two Stanton's Declaration. The declaration shall be made by the person having full authority and spendiality for the quality of the new product. The declaration shall be made by the person having full authority and spendiality for the quality of the new product. Coulty control programs shall be resubmitted for validation amaginum interval of five (6) years.	C Valves: all line valves			ASME B31.3 2018 Edition		
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters C Certified capacity-retect pressure relief ovices acceptable as primary over pressure protection on boilers, pressure versides, piping and fusible pulge. H Pressure retaining components that do not fall into one of the above categories. Nuclear components: Class 1 Class 2 D. Class 3 D. (Meeting CNSC or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT. The Receible Components of the Comp			lies: all types	i		
G Certified capatity-reted pressure relief devices acceptable as primary over pressure protection on boilers, pressure versole, piping and fusible piping. H Pressure retaining components that do not fall into one of the above categories. Nuclear components: Class 1 of Class 2 D Class	F Measuring devices, including		ges, sight glasses, levels, or			
bollers, pressure vessels, piping and fusible plugs Pressure retaining components that do not all into one of the above categories N Nuclear components: Class 1		essure relief devices acceptab	le as primary over pressure projection on	1		
Schlawsti Marco Schlawsti Marc	boilers, pressure vessels,	piping and fusible plugs	70 70 70 70			
Show MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT Companies Website Webs						
Constitution Provided Wild Constitution						
ECLARATION: Schieveli Merco Scope Document: 14555s-1 Sehieveli Merco Scope Document: 14555s-1 ECLARATION: Schieveli Merco Scope Document: 14555s-1 All Merco Scope Document: 1450 Merco Scope Document	SHOW MANDEACTORERS N	SEL	SO AS IT WILL APPEAR ON THE PRODUCT			
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Metal Flexible Hoses Scope Document: 14555s-1 ECLARATION: Schlawett Marco (new rest a) employed by Oleodinemical Toticans \$ 1.1. schlawett Marco (new rest a) employed by Oleodinemical Toticans \$ 1.1. and being the person having at authority and sponsibility for the quality of the end product do solemity declare that the information contained in this form is true ask to the best of y knowledge represents the product for which registration is sought. The dimensions, materiate of construction, pressure reperature realings, and identification markings are in accordance with the herein named standards. I further declare that the anufacture realings, and identification markings are in accordance with the herein named standards. I further declare that the information contained in this form is true ask to the best of search plant where fabrication occurs in whole in part and has been verified by DNU-SI. cleared before me at	. (MEQUIDAMIX	2 0	CHS! LI OTHER IN		
Metal Flexible Hoses Scope Document: 14555s-1 ECLARATION: Schlevetil Marco (neer note a) employed by Oleodinemical Toecane 8.7.1. and being the person having set authority and sponsibility for the quality of the end product do solemnly declare that the information contained in this form is true ask to the best of y knowledge represents the product for which registration is sought. The dimensions, materials of controlling, pressure reperature realings, and identification markings are in accordance with the herein named standards. I further declare that the whole in part and has been verified by DNV-SL control Program which extends to each plant where fabrication occurs in whole in part and has been verified by DNV-SL collection conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. gnature of Declarer: Produced before me at U.S.E.T.H.I.S.S.F.A.C.E.F.R. Produced before me at U.S.E.T.H.I.S.S.F.A.C.E.F.R. This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. The production of the product		· · · · · · · · · · · · · · · · · · ·		- STATE OF THE CONTRACT OF THE		
Metal Flexible Hoses Scope Document: 14555s-1 ECLARATION: Schlevetti Meroo (rear nots 3) employed by Oleodinemics Toecane 8.r.l. and being the person having \$\frac{1}{2}\$ authority and sponsibility for the quality of the end product do solemnly declare that the information contained in this form is true ask to the best of y knowledge represents the product for which registration is sought. The dimensions, materials construction, presture realings, and identification markings are in accordance with the herein named standards. I further declare that the anufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole in part and has been verified by DNV-SL. as being sultable for that propose and i make this solemn claration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. gnature of Declarer: Claration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. gnature of Declarer: Claration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. It is 17 day of October AD 2019 OFFICIAL STALE FOR A STALE		J. Tulsi Resolulli e componi	satori			
ECLARATION: Schlayerit Margo (rear note 3) employed by Oleodinarica Toecana 8.7.1. and being the person having set authority and sponsibility for the quality of the end product do solemnly declare that the information contained in this form is true age to the best of y knowledge represents the product for which registration is sought. The dimensions, materials of construction, preduce more and identification markings are in accordance with the herein named standards. If further declare that the anufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole in part and has been verified by PNV-GL. as being suitable for that purpose and i make this solemn in part and has been verified by PNV-GL. as being suitable for that purpose and i make this solemn colaration conscilentiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. Separation of Declarer: Separation of Declarer: Separation of October AD 2019 OFFICIAL AREA AREA FOR Separation must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. RN: 0D7003.1 RN: 0D7003.1 RN: 0D7003.1 RRI: 15889 This registration must be revalidated after ten (10) years from the date of acceptance. Registered D. Registered	LIST OF SUPPORTING DOC	UMENTATION AND IDENTIF	CATION OF THE ACTUAL ITEMS TO BE RE	GISTERED:		
ECLARATION: Schlevetti Marco Schlevetti Schlevetti Marco Schlevetti Schlevett	Metal Flexible Hoses			1		
ECLARATION: Schlevetti Marco Schlevetti Schlevetti Marco Schlevetti Schlevett	Scope Document: 14555s-1					
Schlevetti Merco (see note 3) employed by Oleodinemics Toecans 8.r.l. and being the person having at authority and sponsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of y knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure imperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the anufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole anufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole as being suitable for that purpose and i make this solemn claration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. If the program is the product of the same force and effect as if made under oath. This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. Registered DP for 3.10 Date 20 for						
Schlevetti Merco (see note 3) employed by Oleodinemics Toecans 8.r.l. and being the person having at authority and sponsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of y knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure imperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the anufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole anufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole as being suitable for that purpose and i make this solemn claration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. If the program is the product of the same force and effect as if made under oath. This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. Registered DP for 3.10 Date 20 for				1		
Schlevetti Merco (see note 3) employed by Oleodinemics Toecans 8.r.l. and being the person having at authority and sponsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of y knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure imperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the anufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole anufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole as being suitable for that purpose and i make this solemn claration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. If the program is the product of the same force and effect as if made under oath. This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. Registered DP for 3.10 Date 20 for				1 47		
Schlevetti Merco (see note 3) employed by Oleodinemics Toecans 8.r.l. and being the person having at authority and sponsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of y knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure imperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the anufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole anufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole as being suitable for that purpose and i make this solemn claration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. If the program is the product of the same force and effect as if made under oath. This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. Registered DP for 3.10 Date 20 for				1 1/1/		
Schlevetti Merco (see note 3) employed by Oleodinemics Toecans 8.r.l. and being the person having at authority and sponsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of y knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure imperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the anufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole anufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole as being suitable for that purpose and i make this solemn claration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. If the program is the product of the same force and effect as if made under oath. This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. Registered DP for 3.10 Date 20 for				1 //		
Schlevetti Merco (see note 3) employed by Oleodinemics Toecans 8.r.l. and being the person having at authority and sponsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of y knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure imperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the anufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole anufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole as being suitable for that purpose and i make this solemn claration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. If the program is the product of the same force and effect as if made under oath. This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. Registered DP for 3.10 Date 20 for			***************************************			
sponsibility for the quality of the end product do solution is sought. The dimensions, materials of construction, pressure imperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the anufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole as being suitable for that purpose and I make this solemn as being suitable for that purpose and I make this solemn externation conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. In day of October AD 2019 OFFICIAL STALE BY ADE			S. Or an all P			
reperture ratings, and identification markings are in accordance with the herein named standards. I further declare that the anufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole in part and has been verified by DNV-SI. as being suitable for that purpose and I make this solemn eclaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. By a purpose and I make this solemn eclaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. By a purpose and I make this solemn eclaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. By a purpose and I make this solemn eclaration for the same force and effect as if made under oath. By a purpose and I make this solemn eclaration for the same force and effect as if made under oath. By a purpose and I make this solemn eclaration for the same force and effect as if made under oath. By a purpose and I make this solemn eclaration for the same force and effect as if made under oath. By a purpose and I make this solemn eclaration for the same under oath. By a purpose and I make this solemn eclaration for the same under oath. By a purpose and I make this solemn eclaration for the same under oath. By a purpose and I make this solemn eclaration for the same under oath. By a purpose and I make this solemn eclaration for the same under oath. By a purpose and I make this solemn eclaration for the same under oath. By a purpose and I make this solemn eclaration for the same under oath. By a purpose and I make this solemn eclaration for the same under oath. By a purpose and I make this solemn eclaration for the same under oath. By a purpose and I make this solemn eclaration for the same under oath. By a purpose and I make this solemn eclaration for the same under oath. By a purpose and I make t	esponsibility for the quality of	of the end product do soler	by Olegonemica Toecens 8.7.1. and bei	ng the person having tel authority and		
In a space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. All fittings shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration rms and one copy of supporting documentation. The declaration shall be made by the person having full authority and sponsibility for the quality of the end product. Quality control programs shall be resubmitted for validation a maximum interval of five (5) years.	iv knowledge represents the	e product for which registra	tion is sought. The dimensions material	s of concentration and I		
anulacture of these rittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole in part and has been verified by DNV-GL as being suitable for that purpose and I make this solemn claration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. In a special part of Declarer: Colared before me at	emperature raunds, and ider	ntification markings are in a	ecordance with the herein named stands	rde I fuellage electron d'		
as being suitable for that purpose and I make this solemn reclaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. In a suitable to that purpose and I make this solemn reclaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. In a suitable to that purpose and I make this solemn reclaration from the same force and effect as if made under oath. In a suitable to that purpose and I make this solemn reclaration from the same force and effect as if made under oath. In a suitable to that purpose and I make this solemn reclaration from the same force and effect as if made under oath. In a sport of the same force and effect as if made under oath. In a sport of the same force and effect as if made under oath. In a sport of the same force and effect as if made under oath. In a sport of the same force and effect as if made under oath. In a sport of the same force and effect as if made under oath. In a sport of the same force and effect as if made under oath. In a same in the same force and effect as if made under oath. In a same in the same force and effect as if made under oath. In a same in the same force and effect as if made under oath. In a same in the same force and effect as if made under oath. In a same in the same force and effect as if made under oath. In a same in the same force and effect as if made under oath. In a same in the same force and effect as if made under oath. In a same in the same force and effect as if made under oath. In a same in the same force and effect as if made under oath. In a same in the same force and effect as if made under oath. In a same in the same force and effect as if made under oath. In a same in the same force and effect as if made under oath. In a same in the same force and effect as if made under oath. In a same in the same force and effect as if made under oath. In a same in the same force and effect as if made u	lanutacture of these fittings	is regulated by a Quality C	ontrol Program which extends to each pla	ant where fabrication occurs in whole		
colared before me at USETHIS SPACE per sectored by this per sectored by the per sectored before me at USETHIS SPACE per sectored by the per sectored by the per sectored by the per sectored before me at USETHIS SPACE per sectored by the per sector	in dan and has been venti	ed by DNV-GL	as being critable for the	at Discourse and i make the second		
This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. This registration must be revalidated after ten (10) years from the date of acceptance. RN: 0D7003.1 ID#: 15889 Service NL Registered CD face3.10 Date	sciaration conscientiously b	O De lide, and k	nowing that it is of the same force and en	lect as if made under oath.		
This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance, RN: 0D7003.1 ID#: 15889 Service NL Registered OP fec3.10 Date 20 (01/24) Each category shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration rms and one copy of supporting documentation. The declaration shall be made by the person having full authority and sponsibility for the quality of the end product. Quality control programs shall be resubmitted for validation a maximum interval of five (5) years.	gnature of Declarer: 🗴 🖰	Somuel)	R			
This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance, RN: 0D7003.1 ID#: 15889 Service NL Registered OP fec3.10 Date 20 (01/24) Each category shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration rms and one copy of supporting documentation. The declaration shall be made by the person having full authority and sponsibility for the quality of the end product. Quality control programs shall be resubmitted for validation a maximum interval of five (5) years.	eclared before me at		USETHIS	SPACE CO.		
This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. RN: 0D7003.1 ID#: 15889 Service NL Registered OD fcc3.10 Date 20 01 27 Engineering and Inspection Folices Registered DE Regi	nis 17 day of	October AD				
This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance, Newform fland Labrador Service NL Registered CP 7cc3. / O Date 20 61/27 Engineering and Inspection Solices All fittings shall be supported with two Statutory Declaration rms and one copy of supporting documentation. The declaration shall be made by the person having full authority and sponsibility for the quality of the end product. Quality control programs shall be resubmitted for validation a maximum interval of five (5) years.			2010	CIMI NI NI		
This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance, Newforth Cland Labrador Newforth Cland Labrador Service NL Registered CP 7cc3. / O Date 20 61/27 Engineering and Inspection Solices All fittings shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration rms and one copy of supporting documentation. The declaration shall be made by the person having full authority and sponsibility for the quality of the end product. Quality control programs shall be resubmitted for validation a maximum interval of five (5) years. The BOILER, PRESSURE V 3662003				•		
This registration must be revalidated after ten (10) years from the date of acceptance. New out of the food acceptance. New out of the food acceptance. New out of the food acceptance. Service NL Registered OP Food. / O Date						
New out of the first of the product. All fittings shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration rms and one copy of supporting documentation. The declaration shall be made by the person having full authority and sponsibility for the quality of the end product. Quality control programs shall be resubmitted for validation a maximum interval of five (5) years.	And the same					
ID#: 15889 Service NL Registered OP 7cc3. /O Date 20 /0 / 27 Engineering and Inspection Solices Registered Dy Engineering and Inspection Solices Registered Dy Engineering and Inspection Solices Registered Dy UNDER THE AUTHORITY OF THE PUBLIC SAFEY ACT NO Quality control programs shall be resubmitted for validation a maximum interval of five (5) years.		registration must be revale	dated after ten (10) years from the date of			
Service NL Registered OP Foo 3. 10 Date	CRN: 0D7003.1		1			
Cotes: All fittings shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration rms and one copy of supporting documentation. The declaration shall be made by the person having full authority and sponsibility for the quality of the end product. Quality control programs shall be resubmitted for validation a maximum interval of five (5) years. Registered CD fec3. O Engineering and Inspection Solices Registered Dy UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT IND THE BOILER, PRESSURE VISSEL AND COM/Sects 1:0 - Fittings Ray (2.06/2003)						
All fittings shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration rms and one copy of supporting documentation. The declaration shall be made by the person having full authority and sponsibility for the quality of the end product. Quality control programs shall be resubmitted for validation a maximum interval of five (5) years. Date	ID#: 13009		F			
All fittings shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration rms and one copy of supporting documentation. The declaration shall be made by the person having full authority and sponsibility for the quality of the end product. Quality control programs shall be resubmitted for validation a maximum interval of five (5) years. Engineering and inspection Swices Registered Dy UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT NO THE BOILER, PRESSURE VISSEL AND COM/Sects 10 - Fittings Ray (196/2003)				20 / 101		
Each category shall be supported with two Statutory Declaration rms and one copy of supporting documentation. The declaration shall be made by the person having full authority and sponsibility for the quality of the end product. Quality control programs shall be resubmitted for validation a maximum interval of five (5) years. Registered by UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VISSEL AND COM/Sects to 4 February 2006/2003	otes:	in the paper of the Men to				
rms and one copy of supporting documentation. The declaration shall be made by the person having full authority and sponsibility for the quality of the end product. Quality control programs shall be resubmitted for validation a maximum interval of five (5) years.			ration -			
sponsibility for the quality of the end product. Quality control programs shall be resubmitted for validation a maximum interval of five (5) years. COM/Sect. 510 - Fittings Ray (2,05/2003)	orms and one copy of supporting	ig documentation.	r			
Quality control programs shall be resubmitted for validation THE BOILER, PRESSURE VISSEL AND a maximum interval of five (5) years. COM/Sect. 5:0.4 Fittings Ray 2:06(2003)		H (2017년 17명이 1980년 1일 전 11일 시간 (1982년 1982년	thority and	1 11		
a maximum interval of five (5) years.	. Quality control programs sha	Il be resubmitted for validation	т	TIE DOW		
				COM/Sect 51.0 - Fittings Rev. 1.06/2003		

NEW BRUNSWICK NUNAVUT		ORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR	
MANUFACTURERS NAME:	Oleodinemica Toscana S.r.i.			
MANUFACTURERS ADDRESS: Via Redolone, 53 - 51030 Serravalle Pistolese (PT) - Italy				
PLANT LOCATIONS: Via Re	dolone, 53 - 51030 Serravalle Pistoles	se (PT) - Italy		
CATEGORY OF FI	ITINGS TO BE REGISTERED. CIRC	LE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION	
B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible of E Strainers, filters, separators F Measuring devices, includir pressure transmitters G Certified capacity-rated pre boilers, pressure vessels, s	ng pressure gauges, level gauges, sig essure relief devices acceptable as pri piping and fusible plugs	types ht glasses, levels, or mary over pressure protection on	ASME B31.3 2018 Edition	
	ents that do not fall into one of the ab	70 10 10 10 10 10 10 10 10 10 10 10 10 10		
N Nuclear components: Clas	s 1 🗆 Class 2 🗆 Class 3 🔾, (Meet	ing CNSC or ASME requirements)	1	
SHOW MANUFACTURERS N	AME, TRADEMARK, OR LOGO AS I	T WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION	
. @			FORGED WELDED WROUGHT CAST OTHER DESCRIBE OTHER:	
	Tubi flessbill e compensatori	**	I	
LIST OF SUPPORTING DOC	UMENTATION AND IDENTIFICATIO	N OF THE ACTUAL ITEMS TO BE RE	GISTERED:	
Metal Flexible Hoses Scope Document: 14555s-1	*			
ny knowledge represents the emperature ratings, and ider nanufacture of these fittings or in part and has been verifi-	of the end product do solemnly de a product for which registration is intification markings are in accord- is regulated by a Quality Control and by DNAGO	sought. The dimensions, materials ance with the herein named standa Program which extends to each place as being suitable for the grant tills of the same force and effections.	and where fabrication occurs in whole	
r Notary Public: (slgn)				
This		r Regulatory Authority use after ten (10) years from the date o	(acAGGEPTED	
	registration most be revenuated		E OF PRINCE EDWARD ISLAND	
CRN: 0D7003.1			NITIES, LAND & ENVIRONMENT	
TID#: 15889		C.R.N.	007m319	
		CALITY	C. C.	
Each category shall be supp forms and one copy of supporting	de by the person having full authority he end product.	and	CTION SERVICES SECTION PRESSURE VESSEL BRANCH	
at a maximum interval of five (5) years.		Sect. 1.0 - Fillings Rev. 1 06/2003	

. ?

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR			
MANUFACTURERS NAME	MANUFACTURERS NAME: Cleodinamica Toscana S.r.i.					
MANUFACTURERS ADDR	ESS: Via Redolone, 53 - 51030 Serra	valle Pistolese (PT) - Italy				
	Redolone, 53 - 51030 Serravalle Pistok					
	FITTINGS TO BE REGISTERED. CIR	the second of th	TITLE OF THE STANDARD OF CONSTRUCTION			
O A Pipe fittings, including co B Flanges: all flanges C Valves: all file valves D Expansion joints, flexible E Strainers, filters, separato F Measuring devices, includ	ASME B31.3 2018 Edition					
pressure transmitters	ors, and steam traps ding pressure gauges, level gauges, si	ght glasses, levels, or				
O G Certified capacity-rated p boilers, pressure vessels B H Pressure retaining compo						
	ass 1 🗆 Class 2 🗆 Class 3 🗆, (Mee					
BHOW MANUFACTURERS	NAME, TRADEMARK, OR LOGO AS	IT WILL APPEAR ON THE PRODUCT				
	Oloo (imamilea) Tennana /// Tak Bankh e sangamaka		FORGED WELDED WROUGHT CAST OTHER OF PERCENTER OTHER:			
LIST OF SUPPORTING DO	CUMENTATION AND IDENTIFICATION	ON OF THE ACTUAL ITEMS TO BE R	EGISTERED			
Metal Flexible Hoses			A /			
Scope Document: 14555s-1			1 1			
			130% 37			
			1 3 A S			
1						
			W.i.			
temperature ratings, and ide manufacture of these fittings or in part and has been verifi-	ne product for which registration is entification markings are in accord is is regulated by a Quality Control	ecare that the information comains sought. The dimensions, materia lance with the herein named stands Program which extends to each pi	ards. I further declare that the ant where fabrication occurs in whole			
Declared before me at		USETHIS	SPACE FO : .			
This 17 day of	October AD 2019	OFFI	CIAL SEAL			
Commissioner of Oaths or Notary Public: (sign)			20 20 20 E			
	This space for Regulatory Authority use					
This	This registration must be revalidated after ten (10) years from be danced acceptance.					
CRN: 0D7003.1		NOVA SOUTIA	\$ E.			
FID#: 15889	/07 =		· (E)			
		C.R.N. 007003.	18			
Notes:						
1. All fittings shall be registere	d in the name of the Manufacturer.	Dwg. as descr	Dea.			
Each category shall be supported forms and one copy of supported	ported with two Statutory Declaration ing documentation.	Signed Juanua Le	~			
3. The declaration shall be ma	de by the person having full authority		Ω			
responsibility for the quality of t	the and product. all be resubmitted for validation	Part	045/			
at a maximum interval of five (5	5) years.	Part REGULATI	Sect. 1.0 - Fittings Rev. 1 06/2003			
CRN EXPIRES DEC.25	5,2029-0,6.	<u> </u>				

	NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDW/ NORTHWEST	ARD ISLAND TERRITORIES	NEWFOUNDLAND AND LABRADOR	
MANUFACTURERS NAME: Oleodinamica Toscana S.r.I.						
MANUFACTURERS ADDRESS: Via Redolone, 53 - 51030 Serravalle Pistolese (PT) - Italy						
	PLANT LOCATIONS: Via Redo	lone, 53 - 51030 Serravall	le Pistoiese (PT) - Italy			
	CATEGORY OF FITT	INGS TO BE REGISTER	ED. CIRCLE ONE CAT	EGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION	
00000	B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types			ASME B31.3 2018 Edition		
0	F Measuring devices, including pressure transmitters G Certified capacity-rated press boilers, pressure vessels, pip H Pressure retaining component	ure relief devices accepta	ble as primary over pre	ssure protection on		
0	N Nuclear components: Class 1	1 🗆 Class 2 🗆 Class 3	, (Meeting CNSC or A	SME requirements)		
		NE, TRADEMARK, OR LO	10 0	AR ON THE PRODUC	T TYPE OF CONSTRUCTION FORGED WELDED WROUGHT CAST OTHER DESCRIBE OTHER:	
	LIST OF SUPPORTING DOCUM	MENTATION AND IDENT	FICATION OF THE AC	TUAL ITEMS TO BE	REGISTERED:	
	Metal Flexible Hoses Scope Document: 14555s-1					
DECLARATION: I Schlavetti Marco (see note 3) employed by Oleodinamica Toscana S.r.l. and being the person having full authority responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the bes my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in who or in part and has been verified by DNV-GL as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as it made under oath.					als of construction, pressure dards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn.	
	ignature of Declarer: χ	3	92		ñ	
D	eclared before me at	October AD	2019	USETB	unswick	
1000	ommissioner of Oaths r Notary Public: (sign)				JUSTICE PUBLIC SAFETY PRESSURE VESSEL ACT	
This space for Regulatory Authority use REGISTRATION ONLY						
	This re	gistration must be reva	alidated after ten (10)	years from the date	of acceptance.	
1	CRN: 0D7003.1	-		CRN (107003.1+	
	FID#: 15889			CHIE	F BOILER INSPECTOR	
:	Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.			DATE	1/17/20	
1	3. The declaration shall be made to responsibility for the quality of the Quality control programs shall be	by the person having full a end product.	roomater to the constraint	□BLRs	□ PVs	
1	at a maximum interval of five (5) years DEC-23	ears.	OII	FITTINGS	□ NUGLEAR GLANDRONENTA03	